

From: [R6HarveyREOC_LSC](#)
To: [R6HarveyInfo](#)
Subject: FW: M6H1 - Safety Officer 213-RR #1558-109
Date: Tuesday, September 12, 2017 10:48:19 AM

From: Ferguson, Ken
Sent: Tuesday, September 12, 2017 10:48:17 AM (UTC-06:00) Central Time (US & Canada)
To: Eppler, David
Cc: Brozowski, George; R6HarveyLSC; R6HarveyInfo; R6HarveyREOC_LSC
Subject: RE: M6H1 - Safety Officer 213-RR #1558-109

Melissa Linden (IMAT) made the initial request. My analysis is that it wasn't justifiable given my understanding of the SO documentation requirements, but I haven't heard any arguments supporting the request.

--

Ken Ferguson
SAIC, Technology Therapist
Contractor to EPA Region6
Emergency Operations Center

214-316-6562

From: Eppler, David
Sent: Tuesday, September 12, 2017 10:16 AM
To: Ferguson, Ken <ferguson.ken@epa.gov>
Subject: RE: M6H1 - Safety Officer 213-RR #1558-109

Who made the request initially?

From: Ferguson, Ken
Sent: Tuesday, September 12, 2017 9:59 AM
To: Eppler, David <Eppler.David@epa.gov>; Brozowski, George <brozowski.george@epa.gov>
Cc: R6HarveyInfo <R6HarveyInfo@epa.gov>; R6HarveyLSC <R6HarveyLSC@epa.gov>;
R6HarveyREOC_LSC <R6HarveyREOC_LSC@epa.gov>
Subject: M6H1 - Safety Officer 213-RR #1558-109

There was a request for a 2TB external USB HD that hasn't been filled yet. There's a question about whether the resource is still required. Can you please discuss the need and get back to the REOC LSC?

--

Ken Ferguson
SAIC, Technology Therapist
Contractor to EPA Region6

Emergency Operations Center

214-316-6562